

HARD HATS - WAVE EASYLOCK CSA Z94.1-05 TYPE 1 CLASS E



PART NO.	COLOUR	WEIGHT (LBS)
88200	YELLOW	0.9
88201	ORANGE	0.9
88202	RED	0.9
88203	NAVY BLUE	0.9
88205	WHITE	0.9

WAVE ANSI EASYLOCK SUSPENSION

Provides crown impact & penetration force transmission protection and dielectric protection up to 20kV. Shell molded from 100 % high density polyethylene with special UV radiation protection additive. Low profile design offers improved comfort.

HARD HATS - WAVE RATCHET CSA Z94, 1-05 TYPE 2 CLASS E



PART N	D .	COLOUR	WEIGHT (LBS)
8830	YEL	LOW	1.1	
8830	OR.	ange (1.1	
8830	REC)	1.1	
8830	NA'	VY BLUE	1.1	
8830	5 WH	ITE <	1.1	

WAVE CSA RATCHET SUSPENSION

Provides crown and lateral impact & penetration force transmission protection and dielectric protection up to 20kV. Shell molded from 100 % high density polyethylene with special UV radiation protection additive. Low profile design offers improved comfort.

SAFETY GLASSES



SAFETY	GLASSES EYEWEAR
 Supe 	r-lightweight wraparound

- Soft rubber NON-Slip temple tip pads
- Impact resistant with scratch resistant coating
- Silicone clear nosepiece • Polycarbonate lenses provides 99.99% UV protection Meets CSA Z94.3-07 Specifications

PART NO.	LENS COLOUR	QIY./CASE
88400	CLEAR	12
88401	DARK	12
88402	Indoor/Outdoor	12
88403	CLEAR (soft tip)	12
88404	CLEAR (over the glasses)	12
88405	BLUE	12
88406	YELLOW	12

FIRE EXTINGUISHERS



DRY CHEMICAL FIRE EXTINGUISHE **FEATURES**

- Completely rechargeable
- Full hand grip for ease of operation Waterproof stainless steel gauge
- Comes complete with wall bracket
- Anodized aluminum valve

Limitea	6 year v	varrantee
T* A	E CALL	C
HOLD: NAME PAPER	DQUIS-GALASE	MA CHICAL MON

ER	PART NO.	DESCRIPTION	WEIGHT LBS
n	88602	2.5LB ABC FIRE EXTINGUISHER WITH VEHICLE BRACKET	4.5
et	88605	5 LB ABC FIRE EXTINGUISHER WITH VEHICLE BRACKET	10.5
	88610	10 LB ABC FIRE EXTINGUISHER WITH WALL BRACKET	19.25

FIRST AID / EMERGENCY MARKER

88600 FIRST AID KIT - ONTARIO **WSIB LEVEL A P10 BULK KIT**



88502 EYEWASH SOLUTION, 500ML

- Cleanses the eye and helps relieve irritated eyes
- Ready to use solution for eye irrigation

88503 30 MINUTE FLARE WITH STAND



- Emergency wind, rain and snow proof flares
- Easy to ignite with self contained striker

SAFETY & ACCESSORIES

SPILL KIT



5-GALLON UNIVERSAL SPILL KITS WITH CARRYING BAG

For small spills in maintenance, parts departments and workstations. Compact, store in cabinet or hang from hook Each Kit includes the following;

- (10) Pads 1/8" x 15"x19"
- (2) 3" x 4ft Absorbent socks (PE)
- (1) pair Nitrile Gloves powder-free
- (1) Disposal Bag 26" x 31"
- (1) Outer carrying bag with zipper closure 19"x15"x 4"

SAFETY COVERALLS

82105

NAVY BLUE COVERALL

- Cotton/polyester • CSA Z96 CLASS 2 LEVEL 3
- Colour NAVY BLUE
- Sizes 40, 42, 44, 46, 48, 50, 52, 54, 56

Available in Tall sizes.

58, 60



Cotton/polyester

- CSA Z96 CLASS 2 LEVEL 3 • Colour - ORANGE
- Sizes 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60

Available in Tall sizes.



82512 - ORANGE color 82511- YELLOW color

4-IN-1 WINTER SAFETY PARKA

OUTER SHELL

• 100% polyester ripstop fabric, polyurethane coated. Tear-resistant, waterproof/windproof, featuring fully seam-sealed construction.

- Two-way front zip with snap closure storm flap
- Zippers inside jacket at neck and chest for easy embroidery access INNER BOMBER
- Lined with 120 g/m2 polyester insulation
- Sleeves zip off to vest
- Bomber reverses to black
- 4" Retroreflective tape CSA Z96 CLASS 2 LEVEL 3
- Sizes S,M, L, XL, 2XL, 3XL

SAFETY VESTS

82226 - YELLOW **82227 - ORANGE**

82229 - BLACK **5-POINT TRAFFIC VESTS**

• 5 point tear-away design

- Safety D-rina access slot
- 4 Large front pockets • One size fit most
- CLASS 2, LEVEL 2
- MTO & WCB Compliant





NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVERE PERSONAL INJURY OR DEATH.



SAFETY T-SHIRT / PARKA

82510

TRAFFIC PARKA

4" contrasting colour tape with 2" reflective silver tape, "X" on back, 2 vertical stripes on chest, 360° waistband, and 2 arm bands

• Zippered front closure with snap storm flap

• Zippered side entry access to waist

Two outside patch pockets and multiple inside pockets

Concealed hood in collar

 CSA Z96-09 & ANSI\ISEA 107-2010 Class 2, Level 2 Meets CSA Z96-09, Class 3 when worn with High-Vis Traffic Overalls



CREW NECK TRAFFIC T-SHIRT

- 4" Contrasting colour tape with 2" reflective silver tape on front and back provide increased visibilty
- Soft polyester mesh material wicks away body moisture
- · Non-shrinking
- Complies with CSA standard Class2 level 2
- Colour ORANGE/YELLOW



CREW NECK TRAFFIC T-SHIRT - LONG SLEEVE

- 4" Contrasting colour tape with 2" reflective silver tape on front and back provide increased visibilty
- Soft polyester mesh material wicks away body moisture
- Non-shrinking
- Complies with CSA standard Class2 level 2
- Colour ORANGE/YELLOW
- Sizes M, L, XL, 2XL

82231 - YELLOW color **82228** - ORANGE color



82230

REFLECTIVE ELASTIC HARNESS

Instant reflective when wearing on top of your clothina

- 1.5" lime & silver elastic
- Easy release buckle, 4-way adjustable
- Highly visible day or night
- Fully adjustable with four plastic rings that allow the straps accommodating taller or wider fits
- Comfort wear, convenient to carry
- Colour green
- One size fits all



SAFETY & ACCESSORIES

RAIN JACKET / PANTS



82233 RELEX RAIN PANTS • CSA CLASS 2 • Colour LIME GREEN • Size - S, M, L, XL, 2XL, 3XL

REFLECTIVE TAPE

2" REFLECTIVE ARMBAND

Highly reflective elastic tape for added visibility
• 2" Elastic material with velcro adjustment

88061 - 2" x 15" (Small)

88062 - 2" x 17" (Large)



88063 - SEW-ON REFLECTIVE SILVER FABRICS TAPE

Safety sew on fabric tape DIY for clothing

- 2"wide, NOT self-adhesive
- For all types of uniforms, coverall, jacket,



2" CONSPICUITY TAPE

Increase your vehicle's visibility and your safety

ALL STRAP ASSEMBLIES OR SYSTEMS ARE AS STRONG AS THEIR WEAKEST COMPONENT INCLUDING THE POINT OF ATTACHMENT.

NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVERE PERSONAL INJURY OR DEATH.

- Provides the longest sight detection distance.
- Thin and flexible for easy application
- DOT-C2 compliant.



PART NO.	WIDTH	COLOURS ALTERNATING	LENGTHS / ROLL	WEIGHT (LBS)
88040	2"	7" White / 11" Red	150 FT.	2.0
88041	2"	6" White / 6" Red	150 FT.	2.0
88042	2"	Silver	150 FT.	2.0

TRAFFIC CONTROL PADDLE

DOUBLE-SIDED TRAFFIC SIGN

STOP/SLOW SIGN WITH 5FT PVC POLE

- 18" X 18" octaaonal traffic warning sign with "SLOW" on one side and "STOP" on the other side.
- Ideal for use by crossing guards and roadside constructrion worker.
- Both sign faces are made from highly visible
- reflective material.
- Meets M.T.O. standards

Substrate: 0.064 Aluminum Reeflectivity: Micro-Prismatic Fluorescent, Type VII

Weight: 3.9 lbs







WARNING FLAGS





88022 **WARNING FLAG** WITH DOWEL

- 18" x 18" mesh flag
- 5/8" x 30" wooden dowel • Fluorescent orange Weight: 0.25 lbs Fluorescent orange Weight: 0.3 lbs Custom sizes available



• 18" x 18" mesh flag

· Grommets and pocket



Custom sizes and with

binding edges available.

- 18" x 18" mesh flag
- Rubber tarp tie with S hooks • Fluorescent orange
 - Weight: 0.50 lbs



88025 - RED COTTON WARNING FLAG

- 18" x 18" Cotton flag
- With wire rod
- RED color Weight: 0.25 lbs

TRAFFIC WARNING FLAG WITH DOWEL

- 18" x 26" mesh flag with "X" • 3/4" x 36" wooden dowel
- Fluorescent orange with 2" yellow /silver reflective "X" on each side. Weight: 0.3 lbs



88012-BE - WARNING FLAG WITH 1" BINDING **EDGE**

- 18" x 18" mesh flag Grommets and pocket
- Fluorescent orange Weight: 0.25 lbs



88028 - RED WARNING FLAG WITH 1" BINDING EDGE MESH WARNING FLAG • 18" x 18" mesh flag

- Grommets and pocket
- Red color Weight: 0.25 lbs





88024 - SOFT POLYESTER

- 18" x 18" soft polyester
- With grommets • Fluorescent orange

Weight: 0.25 lbs Custom sizes available

SAFETY & ACCESSORIES

TRAFFIC CONES & ACCESSORIES

TRAFFIC CONES WITH 3M **REFLECTIVE COLLARS**

- 100% PVC construction ensures durability and flexibility in all weather conditions
- Pre-applied 3M 3840 Hi-Intensity Cone collar for durability
- Tough cones bounce back to their original shape, won't crack

Custom printing available upon request

PART NO.	SIZE (HEIGHT)	3M REFLECTIVE COLLAR	WEIGHT (LBS)
88030	18"	6"	3.5
88038	28"	6"	7.0
88031	28"	4" & 6"	7.0
88032	36"	4" & 6"	12.0

COLLAPSIBLE TRAFFIC CONES WITH REFLECTIVE COLLARS

The safety cone is used to safely alert traffic in the event that your vehicle breaks down, mark barriers and highlight hazardous areas. This handy traffic cone conveniently collapses and fits easily in your car or truck.

BRIGHT ORANGE - For extreme safety, the cone is a bright orange color and visible up to 800 feet away. This ensures optimal visibility on the road, sports fields, workplace, or anywhere else. REFLECTIVE COLLAR - Near the top of the cone is a silver reflective collar that deflects light from headlights.

EASY STORAGE - When not in use, the cone easily collapses down to less than two inches in height for easy storage and transportation. Simply push down on the top to collapse, and pull when ready to use again.



PART NO.	SIZE (HEIGHT)	REFLECTIVE COLLAR	WEIGHT (LBS)
88048	18"	6"	3.5
88049	28''	6''	4.5

88033 - DELINEATOR POST

Portable delineators are used for highlighting work zone hazards & for pedestrian delineation

- 100% LDPE construction ensures durability and flexibility in all weather conditions.
- Fluorescent color provides high visibility protection.
- Environmentally friendly 100% recyclable high density base.
- Pre-applied 3M Diamond Grade reflective tape for durability

ALL STRAP ASSEMBLIES OR SYSTEMS ARE AS STRONG AS THEIR WEAKEST COMPONENT INCLUDING THE POINT OF ATTACHMENT.

NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVERE PERSONAL INJURY OR DEATH.

• Delineator posts fit perfectly to the bases.

Weight: 15.0 lbs


88051 - TRIANGLE KIT

Triangle set up easily for quick and maximum visibility

- 3 pieces of Collapsible, reflector triangle on both sides
- Durable and weather-resistant.
- Triangle is 17" tall.



88036 - RETRACTABLE CONE-BAR



- Designed for use with Traffic Cones and Knob-Top delineators.
- Retractable, portable and lightweight design.
- Adjustable in length (6 FT. to 10 FT.)

Weight: 1.35 lbs



ifety & essories

WARN MOTORISTS TO TAKE CAUTION AROUND YOUR VEHICLE

 12 OZ. VINYL BANNERS HAVE SEWN EDGES AND STAND UP TO RIGOROUS USE IN ANY WEATHER

• CHOOSE THE REVERSIBLE BANNER THAT HAS **OVERSIDE LOAD**PRINTED ON ONE SIDE AND **D** ON THE OTHER OR A BANNER PRINTED
ON JUST ONE SIDE WITH EITHER THE **OVERSIDE LOAD** OR **D** MESSAGE

• ALL STYLES MEET OR EXCEED DOT REQUIREMENTS



VINYL BANNERS

WIDE LOAD

88019 - "WIDE LOAD" BANNER

- 18" H x 96" Wide
- 14oz. vinyl for durability
- Includes grommets

Weight: 1.0 lbs

OVERSIZE LOAD

88010 - "OVERSIZE LOAD" BANNER

- 14" high x 96" wide
- 14oz. vinyl for durability
- Includes grommets

Weight: 1.0 lbs



88011 - "D" BANNER (96" WIDE) 88011-72 - "D" BANNER (72" WIDE)

- 14" high
- 14oz. vinyl for durability
- Includes grommets

Weight: 1.0 lbs

REVERSIBLE BANNER - OVERSIZE LOAD / D

- Two messages on one banner.
- Reversible banner has "D" on one side and "OVERSIZE LOAD" on the other.
- 14oz. vinyl for durability

Weight: 2.5 lbs

77 Cigin. 2.0 ibs		
PART NO.	BANNER HEIGHT X WIDTH	LETTERS HEIGHT
88013	14" x 96"	10"
88013-18	18" x 96"	12"

88018 - REFLECTIVE LED ARROW BANNER

- 36 LED lights arranged in arrow formation.
- 18" high x 33" wide
- Visible up to 1.5km
- Flashing LED lights in chasing mode
- Magnetic or eyelet attachment to vehicle rear or side.
- Capable of 90 hours continuous non-stop blinking
- Battery operated, 3 x AA (not included)

Weight: 2.0 lbs



OVERSI



SAFETY & ACCESSORIES

REFLECTIVE BANNERS - New banners that meet DOT requirements for warning about your load at night

88016 - 18"H X 96" WIDE REFLECTIVE "D" BANNER 88016-1472 14"H X 72" WIDE REFLECTIVE "D" BANNER 88016-1496 14"H X 96" WIDE REFLECTIVE "D" BANNER



• Reinforced backing for durability

- Includes grommets
- 12" letters height

Weight: 1.25 lbs



Did You Know?

Vehicles and/or loads must display on the front of the vehicle and the rear of the load, in a clearly visible position, either one of the two following signs: "OVERSIZE LOAD" or a "D" sign.

88017 - REFLECTIVE "OVERSIZE LOAD" BANNER

- 18" high x 96" wide
- Reinforced backing for durability
- Includes grommets
- 12" letters height

Weight: 1.25 lbs

88017-1272 - REFLECTIVE "OVERSIZE LOAD" BANNER

- 12" high x 72" wide
- Reinforced backing for durability
- Includes grommets
- 10" letters height

Weight: 1.0 lbs



OVERSIZE LOAD

Did You Know?

When travelling at night, the sign must be made of high-intensity, retro-reflective material. The sign cannot obstruct lights or other safety devices on the vehicle or trailer; and it must be removed or covered when not in use.

88014 - REFLECTIVE REVERSIBLE BANNER OVERSIZE LOAD / D

- 18" high x 96" wide
- Two messages on one banner.
- Reversible banner has "D" on one side and "OVERSIZE LOAD" on the other side.

Weight: 2.5 lbs



88021 - REFLECTIVE BANNER - LONG

- 16" high x 96" wide
- Reinforced backing for durability Weight: 1.25 lbs



Long commercial vehicle (LCV)



<u>CTS</u>

CTS.

FULL BODY HARNESSES

FBH-10000A - CONTRACTORS HARNESS - 1D CLASS- A

Fully adjustable for a universal fit

- 5 points of adjustment ensure a good fit (2 leg, 2 torso, 1 chest)
- Pass-Thru chest buckle
- Sub-pelvic strap for added safety and support
- Fall indicator for easier inspection before use.
- Large dorsal D-ring for easy connection
- Meets or exceeds all applicable OSHA standards
- Certified to both CSA Z259.10 and ANSI Z359.11 standards
- 400 lb (180 kg) capacity (combined weight of person, tools, clothing,

Weight: 2.5 lbs



FBH-10000B - CONTRACTOR HARNESS - 3D **CLASS AP**

Fully adjustable for a universal fit

- 5 points of adjustment ensure a good fit (2 leg, 2 torso, 1 chest)
- Pass-Thru chest buckle and grommeted leg straps for quick donnina
- Sub-pelvic strap for added safety and support
- Fall indicator for easier inspection before use
- Large dorsal D-ring for easy connection
- Meets or exceeds all applicable OSHA standards
- Certified to both CSA Z259.10 and ANSI Z359.11 standards
- 400 lb (180 kg) capacity (combined weight of person, tools, clothing,

Weight: 3.0 lbs



FBH-10000L - CONTRACTOR HARNESSES WITH POSITIONING BELT - 4D CLASS APL

- ·Lightweight for all-day comfort
- Padded lumbar support designed to eliminate any discomfort from the weight of tool pouches
- Waist belt is designed to be removable, so a worker can add their favourite tool pouches with ease
- Positioning belt is designed with 2 side D-rings for any position applications

Color: Hi-Viz Green/Black Style: Full Body Chest Strap Buckle: Pass-Thru Leg Strap Buckle: Pass-Thru Shoulder Strap Buckle: Friction Application: Fall Arrest, Ladder and Work Positioning Applications Size: Small, Medium, Large, XL, 2XL

Weight: 5.0 lbs



WITH CARABINER

PART NO.

LL30-C

LL40-C

LL50-C

LL100-C

VERTICAL

LIFELINE

30 FT

40 FT

50 FT

100 FT

*Rope colour may vary

/ERTICAL LIFELINE

VERTICAL LIFELINE WITH THIMBLE EYE / CARABINER ON ONE END

- 5/8" POLYPROLYNE 3 strand rope
- Meets or exceeds all applicable industry standards including OSHA, ANSI







REMOVED FROM SERIVCE

. Signs of chafing or abrasion

- . Cuts in the varns or strands.
- . Any visible deformities that would weaken the rope or interfere with the free movement of the rope grab.

WITH THIMBLE EYE

PART NO.

LL30

LL40

LL50

LL100

SAFETY & ACCESSORIES

LANYARDS

LAN-3400-4 4 FT. (1.2M) LAN-3400-6 6 FT. (1.8M)

RESTRAINT LANYARD

- 1" polyester webbing
- Snap hook + Snap hook

Designed to limit the distance a worker can move from the anchor point and towards the edge of the structure and should never be used when there is a risk of falling.



FP1102W 7 FT. (2.1M) **FP2203W** 11 FT. (3.4M) **FP2206W 20 FT.** (6.1M)

WEBBING SELF-RETRACTING LIFELINE

Webbing Self-Retracting Lifeline CSA Class SRL.

for workers weighing between 100-254lbs.

Scaffold hooks + forged snap hook

polyester webbing

FP63413-6 6 FT. ADJUSTABLE SINGLE LEG LANYARD

This lanyard is specifically designed for fall arrest purposes

• Triple Action carabiner

WITH E4 "SHOCK PACK"

• 1" red polyester webbing

• Weight capacity = 310 lbs • Meets and Exceeds ANSI and OSHA







AUTOMATIC ROPE GRAB WITH PANIC LOCK, LANYARD AND DOUBLE LOCKING SNAP HOOK

FP15130 30"

Lifelines and rope grab kits are a practical solution for many fall arrest applications.

• Rated for workers 100 lbs (45 kgs) to 352 lbs (160 kgs)

• Meet and exceed ANSI, OSHA

DOUBLE LEG Y-LANYARD WITH "SHOCK PACK"

This lanyard is specifically designed for fall arrest purposes for workers weighing between 100-254lbs.

FP636144-4 4 FT. (1.2M) FP636144-6 6 FT. (1.8M)

- 1" red polyester webbing
- Scaffold hooks + snap hook



SINGLE LEG FIXED LANYARD WITHOUT "SHOCK PACK"

This lanyard is designed for travel restraint

FP63111-4 4 FT. (1.2M) • 1" red polyester webbing **FP63111-6 6 FT.** (1.8M)

Snap hook + Snap hook




DOUBLE LEG FIXED Y-LANYARD WITHOUT "SHOCK PACK"

This lanyard is designed for travel restraint

- 1" red polyester webbing
- 2 scaffold hooks + 1 forged snap hook

FP635133-4 4 FT. FP635133-6 6 FT.



FP635113 REBAR ASSEMBLIES

22" Double layer Web REBAR ASSEMBLY

• 1" red polyester webbing



FP60311 18" ENERGY ABSORBER EXTENDED

18" Energy Absorber with snap hook at each end



Exposure to sunlight causes most synthetic

fiber ropes to deteriorate over time. Before

each use, carefully inspect your lifeline to

make sure it is in aood condition.

ANCHOR STRAPS

J.		
		The state of the s

PART NO.	LENGTH	WEIGHT (LBS)
L20406-42	42''	0.2
L20406-60	60''	0.3
L20406-72	72''	0.4

ANCHOR STRAP

- 2" polyester strap with 6" loop & 4" loop Disposable and intended for one time use only
- 5,000 lbs, Minimum breaking strength
- Make sure that your anchor strap is attached to a structure capable of supporting 5,000 lbs.

Complies with ANSI Z359. 1, CSA Z259.10 Standards

To use, wrap around a compatible top plate, pull one end of the webbing through pass-through loop, nail strap to top plate, and attach a compatible snap hook or carabiner component of a PFAS to the loop end. For one time use only. Immediately remove if exposed to forces of Fall Arrest.

G/F		
(1) 17 TT TON-	 	
		The second secon

	PARI NO.	LENGIH	MEIGHI (TR2)
	L204D-42	42''	0.6
	L204D-60	60''	0.61
	1204D-72	72"	0.62

CONCRETE ANCHOR STRAP - HIGH RISE

- Wear sleeve for added edge and abrasion protection
- 2" polyester strap with 6" loop & 4" loop
- Disposable and intended for one time use only
- 5,000 lbs, Minimum breaking strength
- Make sure that your anchor strap is attached to a structure capable of supporting 5,000 lbs.

Complies with ANSI Z359. 1, CSA Z259.10 Standards

Can be installed as permanent anchors during building construction to protruded through poured concrete, as well as in temporary applications such as wood framing, rebar work and pipe racking. Always ensure that the selected attachment point can withstand loads of up to 5,000 pounds. Concrete Anchor Straps are intended for one impact only and must be cut off if exposed to forces of fall arrest.

ROOF ANCHOR BRACKETS



18473 - ROOF ANCHOR BRACKET

- Disposable roof anchor with nails
- Economical design is disposable
- Installs to sloped roof
- Fast and easy nail installation
- Durable and corrosion resistant construction

Disposable anchorage connector designed for temporary use on wood rooftops. Ideal for Fall Arrest and Restraint applications.



18474 - ROOF ANCHOR BRACKET

- Reusable roof anchor with screws
- Hinge design for easy installation on any
- roof peak angles • For use in residential/commercial rooftop
- applications

Reusable anchorage connector designed for temporary use on wood rooftops. It can fit all roof pitches from flat to 12/12, Ideal for Fall Arrest and Restraint applications.

TOOL LANYARD



- Strechcord covered by tubular nylon webbing
- Lock stitching at both ends for extra security
- Maximum safe working capacity: 10 lbs. (4.6 kg)
- Aluminum carabiner
- Adjustable barrel lock for tool attachment
- Black, Lime

SAFETY & ACCESSORIES

WORK GLOVES / MASK



NITRILE WORK GLOVES

- Excellent arip for handling small parts.
- Excellent resistance to abrasion
- Knit wrist for comfortable fit Size - Large

• Economy split leather palm

• Easy-fitting gunn cut pattern

Leather tips and knuckle strap

• Elastic wrist for comfortable fit

• 2 1/2" canvas safety cuff

Sold in dozens

WORK GLOVES

88100





88501

DISPOSABLE MASK

- Single use disposable mask
- 3-layers non woven design
- Elastic earloops
- adjustable nose bridge to allow for mask to be fitted around nose
- 50 pcs / box





- PALM
- Selected split leather • Green double palm
- Rubberised cuff • Lined palm

Sold in half dozen (6 pairs)



WORK GLOVES Split leather palm

88102

Sold in dozens

- 4 1/2" canvas safety cuff for added protection
- Easy-fitting gunn cut pattern
- Leather tips and knuckle strap
- Elastic wrist for comfortable fit

Sold in dozens



WELDER GLOVES

88111

• Selected split cowhide

- Fully lined
- Welted seam for better reinforcement
- Sewn with Kevlar thread.

Sold in 1/2 dozens



NITRILE WORK GLOVES

- Excellent grip for handling small parts.
- Excellent resistance to abrasion
- Knit wrist for comfortable fit Size - small

Sold in dozens



88112 **KNITTED GLOVES**

- Made With 100% Soft
- Cotton Yarn Elastic Cuff
- Size large

Sold in dozens



NITRILE WORK GLOVES

- Excellent grip for handling small parts.
- Excellent resistance to abrasion
- Knit wrist for comfortable fit

ALL STRAP ASSEMBLIES OR SYSTEMS ARE AS STRONG AS THEIR WEAKEST COMPONENT INCLUDING THE POINT OF ATTACHMENT.

NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVERE PERSONAL INJURY OR DEATH.

Size - large



KNITTED GLOVES WITH DOTS

- String knit with dots
- Made With 100% Soft Cotton Yarn
- Sizes large

Sold in dozens

Sold in dozens

WINTER WORK GLOVES



WINTER WORK GLOVES

- Fleece lining
- split leather palm
- 2 1/2" canvas safety cuff
- · Leather tips and knuckle strap
- Elastic wrist for comfortable fit

Sold in dozen



88101

WINTER WORK GLOVES

- Foam and red polar fleece lining plus
- Waterproof inner barrier for cold weather & wet snowy conditions in winter

Sold in 1/2 dozen (6 pairs)



Latex coating on Hi-Vis 10 gauge 100% acrylic knit shell

88113

WINTER NITRILE GRIP **GLOVES**

- Excellent grip for handling small parts, cut resistance
- Comfortable to wear for cold weather
- Size S, L

Sold in dozen



88109

COWHIDE DRIVER GLOVES

- Grain cowhide
- Full fleece lining
- Soft and comfortable to

Sold in 1/2 dozen (6 pairs)



BROWN PVC GLOVES

- Brown triple dipped special formula PVC.
- boa lining for working at -20 degree C.
- 14" gauntlet Sold in 1/2 dozen (6 pairs)

APPLICATIONS:

- Commercial fishing
- Winter transportation
- Chemical processing



ORANGE PVC GLOVES

- Fluorescence orange PVC With foam and cotton fleece double insulation.
- Knit wrist
- Waterproof and can work under sub zero temperature.

Sold in 1/2 dozen (6 pairs)



88122

ACRYLIC POLYAMIDE

- Latex coated hand
- foam latex coated palm
- Full protection of the fingers against cold and water
- Size L, XL

Sold in pair



88121

BLACK NITRILE DIPPED WITH KNIT WRIST

- Nitrile 3/4 dipped with a sandy finish
- knit wrist style with hemmed cuff
- · Size L, XL
- Sold in dozen

100% Nylon shell with a black brushed acrylic liner for extra insulation and warmth



88108

REFLECTIVE WORK GLOVES

- High visibility back with reflective
- Select split leather
- New cotton blend fleece lining
- Cotton duck cuff



88110

PIGSKIN WORK GLOVES

- Pigskin fully cotton fleece lining
- Soft and comfortable to wear
- Size large

Sold in dozen

CTS