


07

INTERIOR VAN MOVERS PRODUCTS





LOGISTIC TRACKS

Safety & Accessories

Truck Equipment

Flatbed Accessories

Tiedown Straps

Utility Tiedowns

Auto Tiedowns

Interior Van Products

Slings

Rigging Hardware

Hardware

Webbing

General Information

102

CTS carries a complete line of E-Track, F Track, Combination Track, L-Track and Aluminum Track. Designed to offer the attachment point for a variety of trailer control systems in a van, enclosed trailer or flatbed trailer. E-Track allowing for varied or adjustable anchor points to accommodate a range of contents.



ALUMINUM CARGO TRACKS


**SEE PAGE 169-170 FOR FITTINGS ACCESSORIES*

ALUMINUM TRACKS


Aluminum track is used in a variety of applications: Vehicle transportation, commercial, and industrial.



SPECIFICATIONS:
CENTER LOCATION OF THE HOLES: 1.00 times number of holes +/- .02" between any two holes in any 100" increments.
STANDARD HOLE DIAMETER : 0.785" +/- 0.005".
MATERIAL: Aluminum
FINISH: Natural / Black




PART NO.	TRACK LENGTH (INCH)	COLOR	BREAKING STRENGTH (LBS)
19053-06	6"	SILVER	1,000
19053-48	48"	SILVER	1,000
19053-72	72"	SILVER	1,000
19055-72	72"	SILVER	3,000
19064-72	72"	SILVER	3,000
19065-72	72"	BLACK	3,000
19066-72	72"	BLACK	3,000



LOGISTIC TRACKS

LOGISTIC TRACKS

12510 GALVANIZED
12510-BLK BLACK POWDER PAINT




- E-Track can be installed onto the wall or floor of any trailer with ordinary screws or rivets.
- Use them with logistic straps or decking beams to secure cargo and separate loads.
- Track placed on the floor can be used for load securement or hauling automobiles.
- Finished: 12 gauge, **Galvanized steel / Black**
- Minimum Yield: 50,000 psi.

Weight: 15.5 lbs

E-TRACK, HORIZONTAL, 10 FT.

12610 GALVANIZED
12610-BLK BLACK POWDER PAINT



- E-Track can be installed onto the wall or floor of any trailer with ordinary screws or rivets.
- Use them with logistic straps or decking beams to secure cargo and separate loads.
- Track placed on the floor can be used for load securement or hauling automobiles.
- Finished: 12 gauge, **Galvanized steel/ Black paint**
- Minimum Yield: 50,000 psi.


Weight: 13.8 lbs

E-TRACK, VERTICAL, 10 FT.

12710



COMBINATION TRACK, E & F (1" ROUND HOLE)
HORIZONTAL, 10 FT.




- Combination Track made of 12 gauge galvanized steel, is designed to accept 1" F fitting or E fitting, shoring bars with 1" plug or decking beam.
- This track may be installed with screws or rivets.
- Finished: **Galvanized steel**
- Minimum Yield: 50,000 psi

Weight: 12.5 lbs

14310



F-TRACK WITH 1" ROUND HOLE
HORIZONTAL, 10 FT.




- 1" round hole F-Track made of 14 gauge galvanized steel, is designed to accept F end fitting, shoring bars with 1" plug.
- This track may be installed with screws or rivets.
- Finished: **Galvanized steel**
- Minimum Yield: 50,000 psi.

Weight: 7.8 lbs

14510



L-TRACK WITH 1" NOTCH HOLE
HORIZONTAL, 10 FT.



- 1" Notch hole L-Track made of 14 gauge galvanized steel, is designed to accept L end fitting, shoring bars with 1" plug.
- This track may be installed with screws or rivets.
- Finished: **Galvanized steel**
- Minimum Yield: 50,000 psi

Weight: 7.5 lbs

Safety & Accessories

Truck Equipment

Flatbed Accessories

Tiedown Straps

Utility Tiedowns

Auto Tiedowns

Interior Van Products

Slings

Rigging Hardware

Hardware

Webbing

General Information

103




CARGO BARS

CARGO BARS



	ADJUSTMENT RANGE		
71000 - ALUMINUM CARGO BAR	89" - 105"	WEIGHT:	8.8 LBS
71001 - STEEL CARGO BAR	89" - 105"	WEIGHT:	13.2 LBS
71002 - EXTRA LONG STEEL CARGO BAR	89" - 114"	WEIGHT:	14.0 LBS
71000-60 - SHORT ALUMINUM CARGO BAR	50" - 65"	WEIGHT:	5.0 LBS



CARGO BAR WITH RUBBER FEET


- Cargo bar expands to fit securely against the sides of trailer or truck walls without excessive pressure.
- Durable molded rubber feet grip the walls to help hold cargo.

ALUMINUM CARGO BAR WITH HOOP SET

ADJUSTMENT RANGE: 89" - 105"

- Aluminum cargo bar with hoop set for shoring applications that require a larger holding surface area.

WEIGHT: 18.0 LBS



71008-60

SHORT SQUARE JACK BAR WITH RUBBER FEET, STEEL

- ADJUSTMENT RANGE: 46" - 72"

The heavy-duty universal jack bar to handle shoring applications in nearly any vehicle.

WEIGHT: 10.0 LBS



71008

SQUARE JACK BAR WITH RUBBER FEET, STEEL

WEIGHT: 19.0 LBS

- ADJUSTMENT RANGE: 86" - 104"

The heavy-duty universal jack bar to handle shoring applications in nearly any vehicle and strong enough to handle even the toughest interior van applications. Includes cushioned non-slip grip and non-marking rubber feet.



50265

SQUARE SHORING BAR WITH 1" PLUG, STEEL

- ADJUSTMENT RANGE: 88.6" - 104"
- SHORING SUPPORT: 1,000 LBS

WEIGHT: 25.0 LBS

NOTE: THIS PRODUCT SHOULD NOT BE USED FOR DECKING USE



42276

ROUND SHORING BAR WITH 1" PLUG, STEEL

- ADJUSTMENT RANGE: 93" - 108"
- SHORING SUPPORT: 500 LBS

WEIGHT: 19.0 LBS

NOTE: THIS PRODUCT SHOULD NOT BE USED FOR DECKING USE



DECKING BEAMS



71800

DECKING BEAM, ALUMINUM

ADJUSTMENT RANGE: 92" - 102"

SHORING / HORIZONTAL WLL: 2,200 LBS

DECKING / VERTICAL WLL.: 2,200 LBS (DECKING WITH 2 BEAMS)

Weight: 19.0 lbs

These beams snap quickly into your trailer's existing logistic E or A track. Ideal for decking or shoring applications.



71801

HEAVY DUTY DECKING BEAM, ALUMINUM

ADJUSTMENT RANGE: 92" - 103"

SHORING / HORIZONTAL WLL: 3,000 LBS

DECKING / VERTICAL WLL.: 3,000 LBS (DECKING WITH 2 BEAMS)

Weight: 24.0 lbs

These beams snap quickly into your trailer's existing logistic E or A track. Ideal for decking or shoring applications.



REPLACEMENT PARTS

71007

CARGO HOOP SETS

SIZE: 26.75" X 28.25"

To be used with 71000 or 71001 cargo bar.

Weight: 10 lbs

71005

CARGO BAR HOLDER, ROUND HOLE

- Provide storage for round tube styles of load bars on the exterior of the tractor cab or interior van/trailers and can be locked with a padlock to deter theft.
- The foot tray can accommodate both 2" x 4" and 4" x 4" foot styles.

Weight: 6.6 lbs

48020

HOUSING, LEVER AND RACK ASSEMBLY

Replacement part for steel or aluminum cargo bar

48021

SMALL FOOT

(fits small tube on adjustable end)

48022

LARGE FOOT

(fits large tube on fixed end)

18370

DECKING BEAM HEAD

Replacement part for decking beam

18371

ATTACHING PIN

Replacement part for decking beam

18360

BEAM SOCKET

Ideal for load bracing using 2" x 4" lumber



Safety & Accessories
Truck Equipment
Flatbed Accessories
Tiedown Straps
Utility Tiedowns
Auto Tiedowns
Interior Van Products
Slings
Rigging Hardware
Hardware
Webbing
General Information
106

ACCESSORIES

ROPE TIE-OFFS



DE206
SERIES E/A, FIT E/A TRACK
Length: 6"
WLL: 1,500 LBS (681 KGS)
ASSEMBLY B/S: 4,500 LBS (2,045 KGS)



DL206
SERIES L, FIT 1" HOLE W/-NOTCH
Length: 6"
WLL: 500 LBS (227 KGS)
ASSEMBLY B/S: 1,500 LBS (681 KGS)



DW206
SERIES F, FIT 1" HOLE F-TRACK
Length: 6"
WLL: 500 LBS (227 KGS)
ASSEMBLY B/S: 1,500 LBS (681 KGS)



DF206
SERIES F, FIT 1" HOLE F-TRACK
Length: 6"
WLL: 500 LBS (227 KGS)
ASSEMBLY B/S: 1,500 LBS (681 KGS)



DF206-3
SERIES F, FIT 3/4" HOLE F-TRACK
Length: 6"
WLL: 500 LBS (227 KGS)
ASSEMBLY B/S: 1,500 LBS (681 KGS)



Use rope tie-off to provide a link to attach ropes, hooks or other end fittings.

E TRACK ACCESSORIES

STRAP BAGS, 24" X 26"
• 12oz vinyl or mesh strap bag comes with 2 front pockets to keep your small tools or gloves handy.
• We can stencil your company name FREE of charge**
• Custom sizes or alternate hardware are also available upon request.

**Contact your Customer Service Representative for more details.

SB2424-E STRAP BAG W/-E TRACK FITTING



SB2424-F STRAP BAG W/-1" F TRACK FITTING



SB2426-E MESH STRAP BAG W/-E TRACK FITTING



12501 **WHEEL CHOCK WITH E-TRACK SLOTS**
• Mounted wheel chocks designed to be driven over during loading and unloading
• Use with 8ft E-fitting ratchet straps ideal on tires 10"-30" diameter.
• Designed for ATV, UTV lawn mowers and small construction equipment.

Working Load Limit: 1500 LBS



18359 **SINGLE SLOT E-TRACK**



18353 E STRAP EXTENSION

If you don't have a strap long enough to make your big load, this E strap extension is a quick way to join 2 straps with E fitting ends to create one longer strap.

MATERIAL: ALUMINUM



18354 END CAP FOR E/A TRACK, PLASTIC



Safety & Accessories
Truck Equipment
Flatbed Accessories
Tiedown Straps
Utility Tiedowns
Auto Tiedowns
Interior Van Products
Slings
Rigging Hardware
Hardware
Webbing
General Information
107

ACCESSORIES

E TRACK ACCESSORIES



NEW

E-Track Accessories System makes moving, organizing and storing easier on trucks, trailers, racks, and walls. Very easy install and long-lasting solution.



18361
4.5" ROUND J-HOOK WITH E FITTING
Colour: ZINC PLATED
Inner Width: 4.5" Height: 5.5"
WORKING LOAD LIMIT.300LBS



18362
2" SQUARE J-HOOK WITH E FITTING
Colour: BLACK
Inner Width: 2" Height: 4"
WORKING LOAD LIMIT.300LBS



18366
TOOL HODER WITH E FITTING,
Colour: BLACK
Inner Dia: 1.5"
WORKING LOAD LIMIT.300LBS



18365
TOOL HANGER WITH E FITTING,
Colour: BLACK
Width: 3" Height: 5" Length: 7.25"
WORKING LOAD LIMIT.300LBS



18364
9" U HANGER WITH E FITTING
Colour: BLACK
Inner Width: 9" Height: 12.5"
WORKING LOAD LIMIT.300LBS



18363
7" ROUND J-HOOK WITH E FITTING
Colour: BLACK
Inner Width: 7" Height: 9.25"
WORKING LOAD LIMIT.300LBS



18368
STORAGE BIN WITH E FITTING,
Colour: BLACK
Width: 6.5" Height: 6.5" Length: 12.5"
WORKING LOAD LIMIT. 50LBS



18367
WIRE BASKET WITH E FITTING,
Colour: BLACK
Width: 6.5" Height: 6.5" Length: 12.5"
WORKING LOAD LIMIT. 50LBS






LOGISTIC CAM STRAPS

CAM BUCKLE TIE-DOWN STRAPS, WEBBING B/S: 6,000LBS

These straps are ideal for quick securement for light to medium loads.
Standard colour coded length: **12FT-BLUE**, **16FT-GREY**, **20FT-RED**

**Alternate hardware and custom lengths available upon request*



2" CAM STRAP W/-SPRING E FITTING



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 1,000 LBS (454 KGS)
ASSEMBLY BREAKING STRENGTH: 3,000 LBS (1,363 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
CS24812-E	12 FT.	
CS24816-E	16 FT	
CS24820-E	20 FT	

2" CAM STRAP W/-1" F FITTING (FIT 1" ROUND HOLE F-TRACK)



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
CS24812-F	12 FT	
CS24816-F	16 FT	
CS24820-F	20 FT	

2" CAM STRAP W/-3/4" F FITTING (FIT 3/4" ROUND HOLE F-TRACK)



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
CS24812-F3	12 FT	
CS24816-F3	16 FT	
CS24820-F3	20 FT	

2" CAM STRAP W/-L FITTING (FIT L TRACK WITH NOTCHED HOLE)



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
CS24812-L	12 FT	
CS24816-L	16 FT	
CS24820-L	20 FT	

2" CAM STRAP W/-1/4" WIRE HOOK



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
CS24812-W	12 FT	
CS24816-W	16 FT	
CS24820-W	20 FT	

2" ELECTRONIC CAM STRAP W/-SPRING E FITTING



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 1,000 LBS (454 KGS)
ASSEMBLY BREAKING STRENGTH: 3,000 LBS (1,363 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
ECS24812-E	12 FT	
ECS24816-E	16 FT	
ECS24820-E	20 FT	


LOGISTIC RATCHET STRAPS

2" RATCHET BUCKLE TIE-DOWN STRAPS, WEBBING: 6,000 LBS

A ratchet (70244) provides added strength and holding power for heavier loads.
Standard colour coded length: **12FT-BLUE**, **16FT-GREY**, **20FT-RED**



**Alternate hardware and custom lengths available upon request*



CUSTOM STENCILING
Custom stenciling available upon request.



2" RATCHET STRAP W/-E FITTING



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 1,460 LBS (663 KGS)
ASSEMBLY BREAKING STRENGTH: 4,400 LBS (2,000 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
RS24812-E	12 FT	
RS24816-E	16 FT	
RS24820-E	20 FT	

2" RATCHET STRAP W/-1" F FITTING (FIT 1" HOLE F-TRACK)



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
RS24812-F	12 FT	
RS24816-F	16 FT	
RS24820-F	20 FT	

2" RATCHET STRAP W/-L FITTING (FIT 1" NOTCHED HOLE L-TRACK)



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
RS24812-L	12 FT	
RS24816-L	16 FT	
RS24820-L	20 FT	

2" RATCHET STRAP W/-1/4" WIRE HOOK



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 500 LBS (227 KGS)
ASSEMBLY BREAKING STRENGTH: 1,500 LBS (681 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
RS24812-W	12 FT	
RS24816-W	16 FT	
RS24820-W	20 FT	

2" RATCHET STRAP W/-3/8" WIRE HOOK



STANDARD FIXED END LENGTH: 48"
WORKING LOAD LIMIT: 1,460 LBS (663 KGS)
ASSEMBLY BREAKING STRENGTH: 4,400 LBS (2,000 KGS)

PART NO.	STRAP LENGTH	COLOUR CODED
RS24812-W3	12 FT	
RS24816-W3	16 FT	
RS24820-W3	20 FT	

ALL STRAP ASSEMBLIES OR SYSTEMS ARE AS STRONG AS THEIR WEAKEST COMPONENT INCLUDING THE POINT OF ATTACHMENT.
NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVE PERSONAL INJURY OR DEATH.

CTS

CTS

REFER TO FEDERAL, STATE, PROVINCIAL, INDUSTRY OR LOCAL REGULATIONS FOR PROPER TIE DOWN METHODS.
IT IS THE OWNER'S AND USER'S RESPONSIBILITY TO DETERMINE SUITABILITY OF A PRODUCT FOR ANY PARTICULAR USE.

MOVING PADS

MOVING PADS



FP5472-3-12

SPACE SAVER PAD, 54" X 72"

- POLYESTER BLACK/BURLAP
- Used for padding sides or floors of vehicles, placing inside boxes for shipping and covering larger household items like tools, bikes, lawn mowers, etc...
- Black binding that prevents the edges from fraying.
- Weight: 38.0 lbs / dozen
- SOLD IN DOZEN

STANDARD PACK: 2 DOZENS



FP7280-4-12

WAREHOUSE SKIN PAD, 72" X 80"

- Non Woven BLUE/LIGHT BLUE (blue binding)
- Warehouse pads are great for pad wrappers, protecting from debris, dust and storage. Any application where surface protection is required, but extra thick cushioning of premium pads is not needed.
- Finished corners, quality batting and blue binding edges on all 4 sides.
- Weight: 54.0 lbs / dozen
- SOLD IN DOZEN



FP7280-5-12

ECONOMY MICRO-FIBER PAD, 72" X 80"

- Polyester BLUE/LIGHT BLUE (black binding)
- Economy pads are great for pad wrappers, protecting countertops, construction flooring and storage. Any application where surface protection is required, but extra thick cushioning of premium pads is not needed.
- Finished corners, quality batting and blue binding edges on all 4 sides.
- Weight: 72.0 lbs / dozen
- SOLD IN DOZEN



FP7280-6-12

MICRO-FIBER SUPREME PAD, 72" X 80"

NEW

- Micro-Fiber BLUE/BEIGE (blue binding)
- Supreme pad is the thickest pad. Woven micro-fiber is extra soft, not rough and not slippery.
- Finished corners, quality batting and blue binding edges on all 4 sides.
- Weight: 82.0 lbs / dozen
- SOLD IN DOZEN



FP7280-7-12

PREMIUM PAD, 72" X 80"

- Polyester/Cotton mixed BLUE/LIGHT BLUE (blue binding)
- Premium pads protect furniture, vending machines and antiques during a move or for storage.
- Finished corners, quality batting and blue binding edges on all 4 sides.
- Weight: 82.0 lbs / dozen
- SOLD IN DOZEN



FP7280-8-12

COTTON DELUXE PAD, 72" X 80"

- Cotton BLACK/LIGHT BLUE (black binding)
- Premium thickness. Woven cotton is soft and not slippery.
- Finished corners, BLACK binding edges on all 4 sides.
- Weight: 86.0 lbs / dozen
- SOLD IN DOZEN

General Information

Webbing

Hardware

Rigging Hardware

Slings

Interior Van Products

Auto Tiedowns

Utility Tiedowns

Tiedown Straps

Flatbed Accessories

Truck Equipment

Safety & Accessories

110

CTS

REFER TO FEDERAL, STATE, PROVINCIAL, INDUSTRY OR LOCAL REGULATIONS FOR PROPER TIE DOWN METHODS. IT IS THE OWNER'S AND USER'S RESPONSIBILITY TO DETERMINE SUITABILITY OF A PRODUCT FOR ANY PARTICULAR USE.

MOVING PADS

MOVING PADS



FPD2470

DOOR JAMB PROTECTOR PAD, 24" X 72"

- Polyester BLUE/LIGHT BLUE (blue binding)
- Quality quilted moving pads with 3 built-in springs to hold them in place.
- Protect door jambs, doorways, entryways, and stair banisters from scratches, scrapes and dirt.

Weight: 1.5 lbs



FPD2471

STAIR BANNISTER PROTECTOR PAD, 12" X 80"

- Polyester blue / blue (blue binding)
- Quality quilted moving pads with 3 velcro to hold them in place.
- Protect stair bannisters from scratches, scrapes and dirt.

Weight: 1.0 lbs

FLOOR RUNNERS



27" WIDE POLYESTER RUNNER

- Protective floor covering roll. (floor runners)
- This floor runner provides excellent protection for carpet or hardwood floors, soft and reusable.
- It protects the floor or other surfaces from dust and dirt, and also from minor dents and scratches.
- Strong soft felt is non-slippery and provides necessary cushioning to protect covered surfaces from scratches.
- Polyethylene backing prevents the cover from slipping.

15 FT ROLL (WEIGHT: 7.5 LBS)

RP2715-BLUE

BLUE, 15 FT

RP2715-RED

RED, 15 FT

180 FT ROLL (WEIGHT: 90.0 LBS)

RP27180-BLUE

BLUE, 180 FT

RP27180-RED

RED, 180 FT



CANVAS FLOOR RUNNER

CANVAS FLOOR RUNNER, 29" WIDE

Natural canvas floor runners are economical, made of heavy duty canvas, serger sewn to runner edges prevents canvas fraying.

RP2915-C

- 15 FT

RP2920-C

- 20 FT

custom lengths available upon request

RUBBER PALLET BANDS



RUBBER PALLET BANDS

- Secure pallet covers, tarps and sheeting
- Prevent toppling of cartons
- Durable rubber bands stretch 200-300%
- Secure pallet loads for warehouse storage
- Made from natural rubber

PART NO.	WIDTH X CIR. INCHES	FLAT LENGTH INCHES	QTY. / CTN	COLOUR CODED
63128	3/4" x 56"	28"	200	
63136	3/4" x 72"	36"	200	
63148	3/4" x 96"	48"	200	

ALL STRAP ASSEMBLIES OR SYSTEMS ARE AS STRONG AS THEIR WEAKEST COMPONENT INCLUDING THE POINT OF ATTACHMENT. NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVERE PERSONAL INJURY OR DEATH.

CTS

General Information

Webbing

Hardware

Rigging Hardware

Slings

Interior Van Products

Auto Tiedowns

Utility Tiedowns

Tiedown Straps

Flatbed Accessories

Truck Equipment

Safety & Accessories

111

MOVING STRAPS

CARRIER STRAP SYSTEMS



FPM260 SHOULDER HARNESS

- Design allows user to stand upright when going up or down stairs, reducing risk of back strain.
- Padded shoulder harness is designed for the person who moves objects on a daily basis, including professional movers, appliance installers and warehouse workers.

Weight: 3 lbs



FPM249 49" MOVERS CARRIER STRAP

FPM272 72" MOVERS CARRIER STRAP



FPM296 8 FT. ADJUSTABLE SHOULDER STRAP

Shoulder pad provides extra padding and comfort.

COMBO #1 ECONOMY COMPLETE CARRIER STRAP SYSTEM

2 x 8 FT SHOULDER STRAP (FPM296)
2 x 49" or 72" CARRIER STRAPS (FPM249/FPM272)

COMBO #2 PREMIUM COMPLETE CARRIER STRAP SYSTEM

2 x SHOULDER HARNESSES (FPM260)
2 x 49" or 72" CARRIER STRAPS. (FPM249/FPM272)

NEW



MATTRESS SLING



MS256 MATTRESS SLING WITH 56" HANDLE

- No more swaying, hard to balance, wobbling hassles when moving a mattress.
- The Mattress Sling allows two people to easily and safely carry even the largest of mattresses. Makes mattress moving much easier up and down stairs, loading into trucks.
- This sling also works excellent for delivery and moving multiple sheets of drywall or plywood.

Weight: 2.0 lbs



CTS

REFER TO FEDERAL, STATE, PROVINCIAL, INDUSTRY OR LOCAL REGULATIONS FOR PROPER TIE DOWN METHODS. IT IS THE OWNER'S AND USER'S RESPONSIBILITY TO DETERMINE SUITABILITY OF A PRODUCT FOR ANY PARTICULAR USE.

MOVING STRAPS

CANVAS SLIDING PAD

CUSTOM SIZE AVAILABLE UPON REQUEST

FPD2941 CANVAS SLIDING PAD, SIZE: 29" X 40"



Weight: 5.0 lbs

CANVAS SLIDING PAD

- The sliding pad allows two people to easily and safely carry appliances much easier up and down stairs, loading into trucks.
- Polyester handles with 3 adjustment lengths.

WORKING LOAD LIMIT: 1,000 LBS



FPD3252-B HEAVY DUTY CANVAS SLIDING PAD WITH BALLISTIC MATERIAL ON TOP LAYER, LARGE SIZE: 32" X 52"



NEW

Weight: 6.5 lbs

PIANO STRAPS



PS215 15 FT. PS230 30 FT. PS245 45 FT. PS260 60 FT.

PIANO STRAP W/-POLYESTER WEBBING
LENGTHS: 15', 30', 45', 60'
COLOURS: BLACK, RED, BLUE
WLL: 166 LBS (75 KGS)
ASSEMBLY B/S: 500 LBS (227 KGS)

PS215-C

PIANO STRAP W/-COTTON WEBBING
LENGTH: 15 FT.
WLL: 166 LBS (75 KGS)
ASSEMBLY B/S: 500 LBS (227 KGS)

CUSTOM LENGTH AVAILABLE UPON REQUEST

C1005-50-100

2" COTTON WEBBING
LENGTH: 100 FT. / ROLL
BREAKING STRENGTH: 1,000 LBS
Weight: 5.0 lbs

MATTRESS BAGS

MATTRESS BAG FOR MOVING AND STORAGE

- 2.0 MIL premium new polyethylene material
- Protect mattress and box spring from dust and moisture
- Excellent for moving, long term storage

MATTRESS BAG

NEW



PART NO.	MATTRESS SIZE	COVER SIZE W x D x L	QTY. / CTN
MPB-T40	TWIN	40"x12"x90"	10
MPB-D54	DOUBLE	54"x12"x90"	10
MPB-Q61	QUEEN	61"x15"x94"	10
MPB-K76	KING	76"x15"x96"	10

ALL STRAP ASSEMBLIES OR SYSTEMS ARE AS STRONG AS THEIR WEAKEST COMPONENT INCLUDING THE POINT OF ATTACHMENT. NEVER EXCEED THE WORKING LOAD LIMIT (WLL). LOADS BEYOND ITS WLL CAN RESULT IN SERVEE PERSONAL INJURY OR DEATH.

CTS



MOVING DOLLIES

Safety & Accessories

Truck Equipment

Flatbed Accessories

Tiedown Straps

Utility Tiedowns

Auto Tiedowns

Interior Van Products

Slings

Rigging Hardware

Hardware

Webbing

General Information

114

PIANO SKID BOARD



FD1566
UPRIGHT/GRAND PIANO SKID BOARD
• Easily slide all types of pianos onto dollies for safe handling.
• slots to allow the use of piano straps.
• fully padded end and cross piece
• carpet colour may vary
Weight: 23.5 lbs

PLYWOOD PLATFORM DOLLIES

CUSTOM LENGTH OF HANDLE STRAPS AVAILABLE UPON REQUEST



FD2030
4-WHEEL CARPETED PLATFORM DOLLY
Heavy or small loads glide smoothly on this 3/4\"/>



FD2240
LARGE 4-WHEEL CARPETED PLATFORM DOLLY
Heavy or small loads glide smoothly on this 3/4\"/>

HANDLE STRAPS

6\"/>



HS205-3S 5FT HANDLE STRAP
HS206-3S 6FT HANDLE STRAP
HS207-3S 7FT HANDLE STRAP



FD2021
1-1/4\"/>

ALUMINUM PLATFORM DOLLIES

ALUMINUM FOLDABLE PLATFORM DOLLIES

Aluminum platform with steel handle. Folding handle platform dollies that can be tucked away for easy storage. Move Supplies and light equipment around the shop or office.

FD2052
ALUMINUM & STEEL FOLDING PLATFORM
• CAPACITY 440 LBS
• 4\"/>



FD2053
H.D. ALUMINUM & STEEL FOLDING PLATFORM
• CAPACITY 660 LBS
• 4\"/>



Quick-release handle folds flat for easy storage



MOVING DOLLIES

Safety & Accessories

Truck Equipment

Flatbed Accessories

Tiedown Straps

Utility Tiedowns

Auto Tiedowns

Interior Van Products

Slings

Rigging Hardware

Hardware

Webbing

General Information

115

2-WHEEL ALUMINUM HAND TRUCKS



FD2050
2 IN 1 CONVERTIBLE ALUMINUM HAND TRUCK, SOLID WHEEL
Simple quick release converts hand truck to platform truck.
CAPACITY: 770LBS (4 WHEEL)
550LBS (2 WHEEL)



4 WHEEL SIZE: 46\"/>



NEW
FD2051
2-WHEEL ALUMINUM CYLINDER HAND TRUCK
CAPACITY: 550 LBS
Weight: 26 LBS

HEAVY DUTY 2-WHEEL ALUMINUM HAND TRUCK, 650 LBS CAPACITY

52\"/>



PART NO.	WHEEL 10"	NOSE PLATE	C/W STAIR CLIMBER	WEIGHT LBS
FD2033	AIR	14"	NO	23.0
FD2044	AIR	14"	YES	27.0
FD2042	AIR	18" (2-HOLES)	NO	24.0
FD2039	AIR	18" (2-HOLES)	YES	28.0
FD2047	AIR	18" (NO HOLE)	NO	25.0
FD2049	AIR	18" (NO HOLE)	YES	29.0

PART NO.	WHEEL 10"	NOSE PLATE	C/W STAIR CLIMBER	WEIGHT LBS
FD2038	SOLID	14"	NO	23.0
FD2045	SOLID	14"	YES	27.0
FD2046	SOLID	18" (2-HOLES)	NO	24.0
FD2048	SOLID	18" (2-HOLES)	YES	28.0
FD2043	SOLID	18" (NO HOLE)	NO	25.0
FD2041	SOLID	18" (NO HOLE)	YES	29.0

MOVING DOLLIES ACCESSORIES

ACCESSORIES / REPLACEMENT PARTS

FD2036

HAND TRUCK COVER PAD WITH ROUND TOP, 16"W x 54"L

- Protect your cargo against scratches and nicks when using a dolly or hand truck
- Velcro straps for easy attachment
- Round top to properly fit
- The quilted cover is machine washable and reusable



HAND TRUCK STRAPS WITH ROLLER BUCKLE

- 2" Polypropolyne webbing is excellent for weather resistance
- Roller buckle securely hold cargo to the dolly or hand truck

RB21203-L04 3 FT.

RB21205-L04 5 FT.

RB21208-L04 8 FT.



FD2034

STAIR CLIMBER (Set of 2 pcs)

For easily lifting heavy loads over curbs and stairs. If you or your business frequently move things up and down steps, you may want to consider getting a stair climber hand truck to use. By adding stair climber to the hand truck that you use daily, you will save not only time, but also prevent back injuries.

- Aluminum with polymer bars
- Bolts to hand truck
- For use with 10" solid and 10" air wheels

WEIGHT: 3.5 LBS



FD2027

10" SOLID FLAT FREE TUBELESS WHEEL

- 5/8" Ball bearing
- Offset Hub
- 4.10/3.50-4

Weight: 3.0 LBS



FD2040

10" PNEUMATIC AIR WHEEL

- 5/8" Ball bearing
- Offset Hub
- 4.10/3.50-4

Weight: 4.0 LBS



FD2037-14

14" DIE CAST NOSE PLATE

SIZE: 14"W x 7.5"D



FD2037-18

18" DIE CAST NOSE PLATE

SIZE: 18"W x 10"D



FD2028

EXTRUDED ALUMINUM NOSE PLATE

SIZE: 18"W x 10"D



FD2035

RED PLASTIC COVER FOR STAIR CLIMBER



FD2001

LOOP HANDLE

